Epilepsy Res., 8 (1991) 261–262
Elsevier

Author Index to Volume 8 (1991)

Aasly, J., see Silfvenius, H., 49
Adey, W.R., see Bawin, S.M., 107
Akazawa, K., see Kawasaki, H., 220
Albani, F., see Riva, R., 149
Albertson, T.E., see Johnson, D.N., 64

Baker, G.A., Smith, D.F., Dewey, M., Morrow, J., Crawford, P.M. and Chadwick, D.W., The development of a seizure severity scale as an outcome measure in epilepsy, 245
Baruzzi, A., see Riva, R., 149
Bawin, S.M., Satmary, W.M., Mahoney, M.D. and Adey, W.R., Transition from normal to epileptiform activity in kindled rat hippocampal slices, 107
Bettendorf, A.F., see Dailey, J.W., 122
Bitterman, N., see Reshef, A., 117
Breese, G.R., see McCown, T.J., 21
Brouillet, E., see Chavoix, C., 1
Burger, R.L., see Dailey, J.W., 122

Campostrini, R., see Riva, R., 149
Catterall, W.A., see Rock, D.M., 197
Chadwick, D.W., see Baker, G.A., 245
Chavoix, C., Brouillet, E., Kunimoto, M., De la Sayette, V., Khalili-Varasteh, M., Hantraye, P., Dodd, R.H., Guibert, B., Prenant, C., Naquet, R. and Mazière, M., Relationships between benzodiazepine receptors, impairment of GABA-ergic transmission and convulsant activity of α-CCM: a PET study in the baboon *Papio papio*, 1
Chiron, C., Raynaud, C., Jambaqué, I., Zilbovicius, M. and Syrota, A., A serial study of regional cerebral blood flow before and after hemispherectomy in a child, 232
Crawford, P.M., see Baker, G.A., 245

Dailey, J.W., Lasley, S.M., Burger, R.L., Bettendorf, A.F., Mishra, P.K. and Jobe, P.C., Amino acids, monoamines and audiogenic seizures in genetically epilepsy-prone rats: effects of aspartane, 122
De Deyn, P.P., Marescau, B. and Macdonald, R.L., Guanidino compounds that are increased in hyperargininemia inhibit GABA and glycine responses on mouse neurons in cell culture, 134
De la Sayette, V., see Chavoix, C., 1
Dewey, M., see Baker, G.A., 245
Dodd, R.H., see Chavoix, C., 1

Emori, K., Minabe, Y., Tanii, Y. and Kurachi, M., Effects of chronic treatment with haloperidol and methamphetamine on hippocampal kindled seizures in the cat, 213

Farias, P.A., see Ludvig, N., 30
Fassbender, C.P., see Löscher, W., 79
Fassbender, C.P., see Löscher, W., 171
Feksi, A.T., Kaamugishu, J., Gatiti, S., Sander, J.W.A.S. and Shorvon, S.D., A comprehensive community epilepsy programme: The Nakuru project, 252
Frey, H.-H., Jung, S. and Scherkl, R., Monoamine turnover in the brain of mice during development of tolerance to the anticonvulsant effect of clonazepam, 190
Fromm, G.H., see Kondo, T., 226
Fukahori, M., see Kawasaki, H., 220
Fukushima, Y., see Ogawa, Y., 75

Galli, G., see Riva, R., 149
Gatiti, S., see Feksi, A.T., 252
Gentile, R.J., see Palmer, G.C., 36
Gigli, G.L. and Gotman, J., Effects of seizures and carbamazepine on interictal spiking in amygdala kindled cats, 204
Gjerstad, L., see Taubøll, E., 153
Gotman, J., see Gigli, G.L., 204
Griffith, R.C., see Palmer, G.C., 36
Guibert, B., see Chavoix, C., 1

Hantraye, P., see Chavoix, C., 1
Heller, A.J., see Ring, H.A., 241
Hiramatsu, M., see Janjua, N.A., 71
Hönack, D., see Löscher, W., 171
Hulsman, J., see Rentmeester, T., 166

Iadarola, M.J. and Sherwin, A.L., Alterations in cholecystokinin peptide and mRNA in actively epileptic human temporal cortical foci, 58
Imai, S. and Onozuka, M., Protein changes associated with cobalt-induced epileptic activity in rat cerebral cortex, 95
Itoh, M., see Kawasaki, H., 220

Jambaqué, I., see Chiron, C., 232
Janjua, N.A., Mori, A. and Hiramatsu, M., Gamma-aminobutyric acid uptake is decreased in the hippocampus in a genetic model of human temporal lobe epilepsy, 71
Jobe, P.C., see Dailey, J.W., 122
Johnson, A.L., see Ring, H.A., 241
Johnson, D.N., White, H.S., Swinyard, E.A., Albertson, T.E. and Kilpatrick, B.F., AHR-12245: a potential anti-absence drug, 64
Jung, S., see Frey, H.-H., 190

Kaamugishu, J., see Feksi, A.T., 252
Kaneko, S., see Ogawa, Y., 75
Kawasaki, H., Itoh, M., Nakahara, T., Fukahori, M. and Akazawa, K., [^{3}H]MK-801 binding to forebrain of El (epileptic) and non-epileptic strains of mice, 220
Kerem, D., see Reshef, A., 117

Khalili-Varasteh, M., see Chavoix, C., 1
Kilpatrick, B.F., see Johnson, D.N., 64
Kondo, T., Fromm, G.H. and Schmidt, B., Comparison of gabapentin with other antiepileptic and GABAergic drugs, 226
Kunimoto, M., see Chavoix, C., 1
Kurachi, M., see Emori, K., 213

Lasley, S.M., see Dailey, J.W., 122
Löscher, W., Fassbender, C.P. and Nolting, B., The role of technical, biological and pharmacological factors in the laboratory evaluation of anticonvulsant drugs. II. Maximal electroshock seizure models, 79
Löscher, W., Hönack, D., Fassbender, C.P. and Nolting, B., The role of technical, biological and pharmacological factors in the laboratory evaluation of anticonvulsant drugs. III. Pentylenetetrazole seizure models, 171
Ludvig, N., Farias, P.A. and Ribak, C.E., An analysis of various environmental and specific sensory stimuli on the seizure activity of the Mongolian gerbil, 30
Lundervold, A., see Taubøll, E., 153

Macdonald, R.L., see De Deyn, P.P., 134
Macdonald, R.L., see Rock, D.M., 197
Mahoney, M.D., see Bawin, S.M., 107
Marescau, B., see De Deyn, P.P., 134
Marshall, W.J., see Ring, H.A., 241
Mazière, M., see Chavoix, C., 1
McCown, T.J. and Breese, G.R., Seizure interactions between the inferior collicular cortex and the deep prepiriform cortex, 21
McLean, M.J., see Rock, D.M., 197
Minabe, Y., see Emori, K., 213
Mishra, P.K. and Jobe, P.C., Amino acids, monoamines and audiogenic seizures in genetically epilepsy-prone rats: effects of aspartame, 122
Mishra, P.K., see Dailey, J.W., 122
Mori, A., see Janjua, N.A., 71
Mori, A., see Shiraga, H., 142
Morrow, J., see Baker, G.A., 245

Nakahara, T., see Kawasaki, H., 220
Napier, J.J., see Palmer, G.C., 36
Naquet, R., see Chavoix, C., 1
Nolting, B., see Löscher, W., 79
Nolting, B., see Löscher, W., 171

Ogawa, Y., Kaneko, S., Otani, K. and Fukushima, Y., Serum folic acid levels in epileptic mothers and their relationship to congenital malformations, 75
Onozuka, M., see Imai, S., 95
Ordy, J.M., see Palmer, G.C., 36
Otani, K., see Ogawa, Y., 75

Paganini, M., see Riva, R., 149
Palmer, G.C., Stagnitto, M.L., Ordy, J.M., Griffith, R.C., Napier, J.J., Gentile, R.J., Woodhead, J.H. and Swinyard, E.W., Preclinical profile of stereoisomers of the anticonvulsant remacemide in mice, 36
Prenant, C., see Chavoix, C., 1

Raynaud, C., see Chiron, C., 232
Rentmeester, T. and Hulsman, J., Efficacy and safety evaluation of loreclezole as add-on treatment in therapy-resistant epilepsy patients, 166
Reshef, A., Bitterman, N. and Kerem, D., The effect of carbamazepine and ethosuximide on hyperoxic seizures, 117
Reynolds, E.H., see Ring, H.A., 241
Ribak, C.E., see Ludvig, N., 30
Ring, H.A., Heller, A.J., Marshall, W.J., Johnson, A.L. and Reynolds, E.H., Plasma uric acid in patients receiving anticonvulsant monotherapy, 241
Riva, R., Zaccara, G., Albani, F., Galli, G., Campostrini, R., Paganini, M. and Baruzzi, A., Effects of acute valproic acid administration on carnitine plasma concentrations in epileptic patients, 149
Rock, D.M., McLean, M.J., Macdonald, R.L., Catterall, W.A. and Taylor, C.P., Ralitoline (CI-946) and CI-953 block sustained repetitive sodium action potentials in cultured mouse spinal cord neurons and displace batrachotoxinin A 20-α-benzoate binding in vitro, 197
Rosenberg, H.C., see Zhang, H., 11

Sander, J.W.A.S., see Feksi, A.T., 252
Satmary, W.M., see Bawin, S.M., 107
Scherkl, R., see Frey, H.-H., 190
Schmidt, B., see Kondo, T., 226
Shorvon, S.D., see Feksi, A.T., 252
Sherwin, A.L., see Iadarola, M.J., 58
Shiraga, H., Watanabe, Y. and Mori, A., Guanidino compound levels in the serum of healthy adults and epileptic patients, 142
Silfvenius, H. and Aasly, J., Cerebral hemisphere memory for manual object handling: an intracarotid Amytal study, 49
Smith, D.F., see Baker, G.A., 245
Stagnitto, M.L., see Palmer, G.C., 36
Swinyard, E.W., see Palmer, G.C., 36
Swinyard, E.A., see Johnson, D.N., 64
Syrota, A., see Chiron, C., 232

Tanii, Y., see Emori, K., 213
Tarnawa, I., see Világi, I., 102
Banczerowski-Pelyhe, I., see Világi, I., 102
Taubøll, E., Lundervold, A. and Gjerstad, L., Temporal distribution of seizures in epilepsy, 153
Taylor, C.P., see Rock, D.M., 197
Tietz, E.I., see Zhang, H., 11

Világi, I., Tarnawa, I. and Banczerowski-Pelyhe, I., Changes in seizure activity of the neocortex during the early postnatal development of the rat: an electrophysiological study on slices in Mg^{2+}-free medium, 102
Watanabe, Y., see Shiraga, H., 142
White, H.S., see Johnson, D.N., 64
Woodhead, J.H., see Palmer, G.C., 36

Zaccara, G., see Riva, R., 149
Zhang, H., Rosenberg, H.C. and Tietz, E.I., Anticonvulsant actions and interaction of GABA agonists and a benzodiazepine in pars reticulata of substantia nigra, 11
Zilbovicius, M., see Chiron, C., 232